L Number	Hits	Search Text	DB	Time stamp
1	1	("6608631").PN.	USPAT;	2004/08/07 15:15
_	1611	345/\$.ccls. and (warp\$4 or deform\$4 or	US-PGPUB USPAT	2003/02/03 14:13
-	. 18	undeform\$4) (345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4)) and bernstein\$4	USPAT	2002/07/13 13:53
_	1	("5892691").PN.	USPAT	2002/07/13 13:53
_	22	345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.	USPAT	2002/07/13 13:54
-	147	345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.	USPAT	2002/07/13 13:54
-	151	(345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4).ab.)	USPAT	2002/07/15 13:44
-	47	((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4).ab.))	USPAT	2002/07/13 13:54
_	17	and weight\$4 ((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4).ab.))	USPAT	2002/07/15 13:44
-	9	and scal\$4 with transform\$5 (((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.)) and weight\$4) and (((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or	USPAT	2002/07/15 13:45
	1.611	(345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.)) and scal\$4 with transform\$5)	Hebam	2002/07/15 14:34
_	1611	345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4)	USPAT	2002/0//13 14:34
-	17	((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and	USPAT	2002/07/15 13:46
		(warp\$4 or deform\$4 or undeform\$4).ab.)) and scal\$4 with transform\$5		
_	9	(((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.)) and weight\$4) and (((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.)) and scal\$4 with transform\$5)	USPAT	2002/07/15 13:45
-	8	((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ab.)) and scal\$4 near4 transform\$5	USPAT	2002/07/15 13:50
-	90	undeform\$4)) and scal\$4 near4 transform\$5	USPAT	2002/07/15 13:52
_	45	<pre>weight\$4 and ((345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4)) and scal\$4 near4 transform\$5)</pre>	USPAT	2002/07/15 13:52
-	573	345/\$.ccls. and (warp\$4 or (deform\$4 and undeform\$4))	USPAT	2002/07/15 13:52
_	56	1	USPAT	2002/07/15 13:52
_	39		USPAT	2002/07/15 13:57
_	29	I	USPAT	2002/07/15 13:52
_	151	(345/\$.ccls. and (warp\$4 or deform\$4 or undeform\$4).ti.) or (345/\$.ccls. and	USPAT	2002/07/15 13:56
_	18	or ((warp\$5 or deform\$5 or	USPAT	2002/07/15 14:20
		undeform\$5).ab.)) and scal\$4 near2 transform\$5		

_	2950	(warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 13:59
-	38424	(warp\$5 or deform\$5 or undeform\$5).ab.	USPAT	2002/07/15 14:19
_	38951	((warp\$5 or deform\$5 or undeform\$5).ti.)	USPAT	2002/07/15 14:19
		or ((warp\$5 or deform\$5 or undeform\$5).ab.		
				1
_	18	(((warp\$5 or deform\$5 or undeform\$5).ti.)	USPAT	2002/07/15 14:24
		or ((warp\$5 or deform\$5 or undeform\$5).ab.		
)) and scal\$4 near2 transform\$5		
	48881	345/\$.ccls. or 358/\$.ccls.	USPAT	2002/07/15 14:21
_	209	l .	USPAT	2002/07/15 14:21
_	209	(((waips) of deforms of undeforms).cl.)	i	2002/07/13 10.43
		or ((warp\$5 or deform\$5 or undeform\$5).ab.		
)) and (345/\$.ccls. or 358/\$.ccls.)		0000/07/15 14 05
-	1		USPAT	2002/07/15 14:25
) or ((warp\$5 or deform\$5 or		1
		undeform\$5).ab.)) and (345/\$.ccls. or	1	
		358/\$.ccls.)) and scal\$4 near2 transform\$5		
-	36	((((warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 14:26
) or ((warp\$5 or deform\$5 or		
		undeform\$5).ab.)) and (345/\$.ccls. or		
	1	358/\$.ccls.)) and scal\$4 and weight\$4		
_	0		USPAT	2002/07/15 14:26
) or ((warp\$5 or deform\$5 or	002111	2002,01,20 21.20
		undeform\$5).ab.)) and (345/\$.ccls. or	1 .	
			İ	
		358/\$.ccls.)) and (scal\$4 and weight\$4)		
		with transform\$5	HODE	2002/07/15 11 55
-	21		USPAT	2002/07/15 14:27
	1) or ((warp\$5 or deform\$5 or	1	1
		undeform\$5).ab.)) and (345/\$.ccls. or		
		358/\$.ccls.)) and (scal\$4 or weight\$4)		
		with transform\$5		
-	3	("5353392" "5537523" "5559901").PN.	USPAT	2002/07/15 14:32
_	1	5892691.URPN.	USPAT	2002/07/15 14:32
_	0	5995110.URPN.	USPAT	2002/07/15 14:32
_	9	("4888713" "5107444" "5175808"	USPAT	2002/07/15 14:32
		"5187754" "5255352" "5325472"	001111	2002,01,10 11.02
		"5369736" "5404316" "5448053").PN.		
		("6005582" "6072496").PN.	USPAT	2002/07/15 14:33
-	2			
-	5	6072496.URPN.	USPAT	2002/07/15 14:33
-	8	6064393.URPN.	USPAT	2002/07/15 14:33
-	6	("5684935" "5808617" "5852443"	USPAT	2002/07/15 14:33
1		"5864342" "5880737" "5886701").PN.		
-	34	(("5353392" "5537523" "5559901").PN.)	USPAT	2002/07/15 14:34
:		or 5892691.URPN. or (("4888713"		
		"5107444" "5175808" "5187754"		
		"5255352" "5325472" "5369736"		
	1	"5404316" "5448053").PN.) or (("6005582"		
ļ		["6072496").PN.) or 6072496.URPN. or		
		6064393.URPN. or (("5684935" "5808617"		
ŀ		"5852443" "5864342" "5880737"		
		3632443 3664342 3660737 "5886701").PN.)		
	17		USPAT	2002/07/15 14:35
_	17	1 , 1 ,	USPAT	2002/07/15 14:35
		or 5892691.URPN. or (("4888713"		
1		"5107444" "5175808" "5187754"		
		"5255352" "5325472" "5369736"		
		"5404316" "5448053").PN.) or (("6005582"		
		"6072496").PN.) or 6072496.URPN. or		
		6064393.URPN. or (("5684935" "5808617"		
		"5852443" "5864342" "5880737"		
		"5886701").PN.)) and (warp\$4 or deform\$4		
		or undeform\$4)		
_	12	· · ·	USPAT	2002/07/15 14:39
		"5559901").PN.) or 5892691.URPN. or		, 5,, 15 14.55
		(("4888713" "5107444" "5175808"		
		((~4888/13 510/444 517/3606 "5187754" "5255352" "5325472"		
		"5369736" "5404316" "5448053").PN.) or		
		(("6005582" "6072496").PN.) or		
		6072496.URPN. or 6064393.URPN. or		
		(("5684935" "5808617" "5852443"		
		"5864342" "5880737" "5886701").PN.))		
1		and (warp\$4 or deform\$4 or undeform\$4))		
		and scal\$4 and weight\$4 and transform\$5		
		· · · · · · · · · · · · · · · · · · ·		

Or ((warp\$5 or deform\$5 or undeform\$5).ti. 0.7 ((warp\$5 or defor					
undeform\$5].ab.]) and (345/\$:ccls. or 358/\$:ccls.) and discrete or undeform\$5]. ab.]) and (345/\$:ccls.) uspart	_	45	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT	2002/07/15 14:43
358/\$.ccls.)) and discret%6 USPAT 2002/07/15 14:45 9 (((warp%5 or deform%5 or undeform%5).ti.) or ((warp%5 or deform%5 or sampl%4) USPAT 2002/07/15 14:45 with transform%5					
- 9 ((((warp55 or deform55 or undeform55).ti.) or ((warp55 or deform50 or undeform55).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and (345/\$.ccls. or 358/\$.ccls.)) and (345/\$.ccls. or 358/\$.ccls.)) and (345/\$.ccls. or 338/\$.ccls.)) and (345/\$.ccls. or 358/\$.ccls.)) and vectors4 - ((((warp55 or deform55 or undeform55).ti.) or ((warp55 or deform55 or undeform55).ti.) or ((warp55 or deform55 or undeform55).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and vectors4 - 2 ((((warp55 or deform55 or undeform55).ti.) or ((warp55 or deform55 or undeform55).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and bernstein54 - ((("5892691") or ("5995110") or ("6271847") or ("606433") or ("607249") or ("6271847") or ("606439") or ("607249") or ("6271847") or (((warp55 or deform55 or undeform55).ti.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) and (345/\$.ccls. or 348/\$.ccls.) or (warp55 or deform55 or undeform55).ti. and (345/\$.ccls.) or 358/\$.ccls. or 348/\$.ccls.) or (warp55 or deform55 or undeform55).ti. and (345/\$.ccls.) or 358/\$.ccls. or 348/\$.ccls.) or (warp55 or deform55 or undeform55).ti. and (345/\$.ccls.) or (358/\$.ccls. or 348/\$.ccls.) or (358					
Dot ((warp85 or deform85 or undeform85)				Wanam	0000/07/15 14 45
undeform\$5, ab.)) and (345/\$.ccls. or 338/\$.ccls.)) and (discrets& or sampl\$4) with transform\$5 - 76 ((('(warp\$5 or deform\$5 or undeform\$5).ti.)) or ((warp\$5 or deform\$5 or undeform\$5).ti.)) and (345/\$.ccls.) or 346/\$.ccls.) or 346/\$.ccls. or 356/\$.ccls. or 346/\$.ccls.) or 346/\$.ccls. or 356/\$.ccls. or 346/\$.ccls. or 346/\$	_	9		USPAT	2002/07/15 14:45
338/\$.ccls.) and (discretific or sampl\$4) with transform\$5 ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) and (345/\$.ccls. or 358/\$.ccls.) and (345/\$.ccls. or 368/\$.ccls.) and (345/\$.ccls. or 348/\$.ccls.) and (345/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 348/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 348/\$.ccl					
with transform\$5 or undeform\$5).ti. Or ((warp\$5 or deform\$5 or					
- 76					
Or ([warp\$5 or deform\$5 or undeform\$5].	_	76		USPAT	2002/07/15 14:46
Undeform\$5, ab.) and (345/\$.ccls. or 335/\$.ccls.) and (615cret\$6 or sampl\$4)					
- 177 (((((warp\$5 or deform\$5 or undeform\$5).ii. USPAT 0002/07/15 14:49) or ((warp\$5 or deform\$5).sb.)) and (345/\$.ccls. or 358/\$.ccls.)) and (1ine or segment\$4) - 106 (((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or (warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((%arp\$5 or deform\$5 or undeform\$5).ti) or ((%arp\$5 or deform\$5 or undeform\$5).ti) or (346/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls.) or 348/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 3					
Or ((Warp\$5 or deform\$5 or undeform\$5).ab.) and (345/\$.ccls. or 358/\$.ccls.)) and (line or segment\$4)			358/\$.ccls.)) and (discret\$6 or sampl\$4)		
undeform\$5].ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and (1ine or segment\$4) - 106 (((((warp\$5 or deform\$5 or undeform\$5).ti.) uSPAT	-	177		USPAT	2002/07/15 14:49
338/8.ccls.)) and (line or segments4)	1				
- 106 ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5) a.b.)) and (345/\$.ccls. or 358/\$.ccls.)) and length\$4 ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (((warp\$5 or deform\$5 or undeform\$5) with scal\$4\].ti.) or (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 388/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 388/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 388/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (varp\$5 or deform\$5 or undeform\$5).ti. (varp					
Or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and length\$4		106		110D3 m	0000/07/15 14 40
undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and length\$4 - 69 ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and (345/\$.ccls. or 358/\$.ccls.)) and vector\$4 - ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and bernstein\$4 - (("\$892691") or ("\$995110") or ("\$6271847") or ("\$664393") or ("\$6072496") or ("\$175808").PN. - 349 (((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. o	-	106		USPAT	2002/0//15 14:49
358/\$.ccls.)) and length\$4					
- 69 ((((warp\$5 or deform\$5 or undeform\$5).ti.					
Or ((warp\$5 or deform\$5 or undeform\$5).ab.) and (345/\$.ccls. or 358/\$.ccls.)) and vector\$4	_	69	((((warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 14:50
undeform\$5].ab.) and (345/\$.ccls. or 358/\$.ccls.) and vector\$4					
2 ((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$7) or ("5995110") or ("6271847") or ("6064393") or ("6072496") or ("5175808")).PN. - 349 (((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) or undeform\$5) or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 40 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 410 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or 358/\$.ccls. or 348/\$.ccls.) - 10 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls.) undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) undeform\$5 or undeform\$5) with (scal\$4 or weight\$4).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) undeform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) undeform\$5 or undefor					
Or ((Warp\$5 or deform\$5 or undeform\$5).ab.) and (345/\$.ccls. or 358/\$.ccls.)) and bernstein\$4					
undeform\$5, ab.)) and (345/\$.ccls. or 358/\$.ccls.)) and bernstein\$4	1 -	2	((((warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 14:50
388/\$.ccls.) and bernstein\$4 (("5892691") or ("5995110") or ("6271847") or ("6064393") or ("6072496") or ("5175808")).PN. 349	1				
- 6 ("5892691") or ("5995110") or ("6271847") or ("6064393") or ("6072496") or ("6072496") or ("5175808")).PN. - 349 (((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 4 (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) or undeform\$5) or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) or undeform\$5) with scal\$4).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ti.					
or ("6064393") or ("6072496") or ("5175808")).PN. (("warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 4 ((((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 ((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or 348/\$.ccls.) or ((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 42 (((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 43 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 44 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 55 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 56 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 57 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 58 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 58 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 58 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 69 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 79 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 80 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 90 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 10 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 11 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 13 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 14 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 15 ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 16 ((warp\$5 or deform\$5) with scal\$4 - 17 ((warp\$5 or deform\$5) with scal\$4 - 18 ((warp\$5 or deform\$5) with scal\$4 - 19 ((warp\$5 or deform\$5) with scal\$4 - 10 ((warp\$5 or deform\$5) with scal	_	6		IIS DAT	2002/07/15 16:56
- 349 (("si75808")).FN. - 349 (((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 4 ((((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) or undeform\$5) with scal\$4).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls.) - 342 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.)) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5) or undeform\$5).ab. and (345/\$.ccls.) or 358/\$.ccls. or 348/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 3				OSIAI	2002/07/13 10.30
- 349 (((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or undeform\$5).ab.) and (345/\$.ccls.) - 4 ((((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or ((warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 348/\$.ccls					
or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 4 (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.]) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 10 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 11 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.] 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.] ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.] ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.] ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.] ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4]).ab. and	-	349		USPAT	2002/07/15 16:47
348/\$.ccls.)					
- 4 ((((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) or undeform\$5) with scal\$4).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5) or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
scal\$4).ti.) or (((warp\$5 or deform\$5 or undeform\$5) with scal\$4).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)					
undeform\$5) with scal\$4).ab.)) and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. uspAT 2002/07/15 16:50 and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 ((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and	-	4		USPAT	2002/07/15 16:45
(345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls.) or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or ((warp\$5 or deform\$5) or undeform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (uspar 2002/07/15 16:51) (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (uspar 2002/07/15 16:51)					
348/\$.ccls.) 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
- 49 (warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or ((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) or ((warp\$5 or deform\$5 or undeform\$5) or deform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls.) - 10 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) - 11 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and					
and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5) or undeform\$5 or u	_	49	(warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 16:47
- 341 (warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 42 ((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5) or undeform\$5 or undeform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls.)) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (USPAT 2002/07/15 16:51 (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (USPAT 2002/07/15 16:51 (scal\$4 or weight\$4)).ab. and					
348/\$.ccls.)	-	341		USPAT	2002/07/15 16:50
- 42 (((warp\$5 or deform\$5 or undeform\$5).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and	_	12		HEDAT	2002/07/15 16:40
348/\$.ccls.)) or ((warp\$5 or deform\$5 or undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)		42		OSEMI	2002/07/13 10:48
<pre>undeform\$5).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)</pre> 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
358/\$.ccls. or 348/\$.ccls.))) and (warp\$5 or deform\$5 or undeform\$5) with scal\$4 - 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
- 12 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and			358/\$.ccls. or 348/\$.ccls.))) and (warp\$5		
<pre>(scal\$4 or weight\$4)).ab. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and</pre> USPAT 2002/07/15 16:51					
(345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and	-	12		USPAT	2002/07/15 16:51
348/\$.ccls.) 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and					
- 1 ((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ab. and (SPAT)					
(scal\$4 or weight\$4)).ti. and (345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) 12 (((warp\$5 or deform\$5 or undeform\$5) with USPAT 2002/07/15 16:51 (scal\$4 or weight\$4)).ab. and	_	1		ПЗРАТ	2002/07/15 16.51
(345/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with USPAT 2002/07/15 16:51 (scal\$4 or weight\$4)).ab. and		1		JULAI	2002/01/13 10:31
348/\$.ccls.) - 12 (((warp\$5 or deform\$5 or undeform\$5) with USPAT 2002/07/15 16:51 (scal\$4 or weight\$4)).ab. and	1		(345/\$.ccls. or 358/\$.ccls. or		
(scal\$4 or weight\$4)).ab. and	1		348/\$.ccls.)		
	-	12		USPAT	2002/07/15 16:51
(345/\$.ccls. or 358/\$.ccls. or	J		(345/\$.ccls. or 358/\$.ccls. or		
348/\$.ccls.)) or (((warp\$5 or deform\$5 or undeform\$5) with (scal\$4 or weight\$4)).ti.					
and (345/\$.ccls. or 358/\$.ccls. or					
348/\$.ccls.))					
- 8 (("5892691") or ("5995110") or ("6271847") USPAT 2002/07/17 14:32	-	8		USPAT	2002/07/17 14:32
or ("6064393") or ("6072496") or			or ("6064393") or ("6072496") or		_
("5175808") or ("6236403") or					
("5796400")).PN.	I		("5796400")).PN.		

-	3	((("5892691") or ("5995110") or	USPAT	2002/07/15 16:57
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
l _	6	("5796400")).PN.) and scal\$\$ ((("5892691") or ("5995110") or	USPAT	2002/07/15 17:07
	0	("6271847") or ("6064393") or ("6072496")	OSTAI	2002/07/13 17.07
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and scal\$5		
_	7	((("5892691") or ("5995110") or	USPAT	2002/07/15 17:11
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and weight\$4		
-	3	((("5892691") or ("5995110") or	USPAT	2002/07/15 17:13
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and (sampl\$4 or		
	101	discret\$4)	USPAT	2002/07/15 17:13
-	101	<pre>((((warp\$5 or deform\$5 or undeform\$5).ti.) or ((warp\$5 or deform\$5 or</pre>	USPAT	2002/07/15 17:13
		undeform\$5).ab.)) and (345/\$.ccls. or		
		358/\$.ccls. or 348/\$.ccls.)) and		
	+	(sampling or discret\$4)		
_	0	((((warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 17:14
) or ((warp\$5 or deform\$5 or		
		undeform\$5).ab.)) and (345/\$.ccls. or		
		358/\$.ccls. or 348/\$.ccls.)) and		
		(sampling or discret\$4).ti.		0000 (00 (15 45 45
-	7	((((warp\$5 or deform\$5 or undeform\$5).ti.	USPAT	2002/07/15 17:19
		undeform\$5).ab.)) and (345/\$.ccls. or		
		358/\$.ccls. or 348/\$.ccls.) and		
		(sampling or discret\$4).ab.		
-	7		USPAT	2002/07/15 17:20
	}	("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and transform\$5		
-	4	((("5892691") or ("5995110") or	USPAT	2002/07/15 17:25
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and transform\$5 and weight\$4 and scal\$4		
_	8	1	USPAT	2002/07/15 17:27
		("6271847") or ("6064393") or ("6072496")	OSTITE	2002,01,10 1,121
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and (line or segment)		
_	7	, , , , , , , , , , , , , , , , , , , ,	USPAT	2002/07/15 17:28
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and vector	HCDAM	2002/07/15 17 00
-	0	((("5892691") or ("5995110") or ("6271847") or ("6064393") or ("6072496")	USPAT	2002/07/15 17:28
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and constrain\$4 near3		
		vector		
-	349		USPAT	2002/07/15 17:28
) or ((warp\$5 or deform\$5 or		
		undeform\$5).ab.)) and (345/\$.ccls. or		
	_	358/\$.ccls. or 348/\$.ccls.))	HODAM	2002/07/15 12 52
1 -	1		USPAT	2002/07/15 17:29
) or ((warp\$5 or deform\$5 or undeform\$5).ab.)) and (345/\$.ccls. or		
1		358/\$.ccls. or 348/\$.ccls.) and		
		constrain\$4 near3 vector		
_	2	l .	USPAT	2002/07/15 17:31
) or ((warp\$5 or deform\$5 or		
		undeform\$5).ab.)) and (345/\$.ccls. or		
		358/\$.ccls. or 348/\$.ccls.)) and		
		bernstein near3 polynomial\$3 with (warp\$4		
L		or deform\$5 or undeform\$5)	L	

-	0	((("5892691") or ("5995110") or	USPAT	2002/07/15 17:32
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and parameter\$5 near3		
	1	transform\$5 with geometri\$4 ((("5892691") or ("5995110") or	USPAT	2002/07/15 17:33
_	1	(("5892891") or ("5995110") or ("6072496")	USPAI	2002/07/15 17:33
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and parameter\$5 near3		
		transform\$5		
l _	5		USPAT	2002/07/15 17:34
		("6271847") or ("6064393") or ("6072496")	001111	2002/07/13 17:31
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and (parameter\$5 or		
		geometric\$4) with transform\$5		
_	6		USPAT	2002/07/15 17:35
		("6271847") or ("6064393") or ("6072496")		
		or ("5175808") or ("6236403") or		
		("5796400")).PN.) and (mesh\$4 or vertic\$4)		
-	2		USPAT	2002/07/17 14:04
-	0	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:22
		(source or target)		
-	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:29
		transform\$5		
-	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:31
		function	1	0000 100 100
_	8	(("5892691") or ("5995110") or ("6271847")	USPAT	2002/07/17 14:32
		or ("6064393") or ("6072496") or		
		("5175808") or ("6236403") or		
		("5796400")).PN.	II CDAM	0000/07/17 14:33
-	2	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:33
	2	(sum\$4 or add\$4) ((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:44
_		(((3692691) Of (6271647)).PN.) and (sum\$4 or add\$4) with (weigh\$4)	USPAI	2002/07/17 13:44
_	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:40
	_	((\sampl\\$4 or discret\\$4)	OSIAI	2002/07/17 14.40
_	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:56
	_	transform\$5		
_	2	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:52
		(line or segment\$3)		
-	2	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 14:57
		distanc\$4		
-	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:00
		vector\$4		
-	2	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:01
		point\$4		
-	2	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:01
		weight\$4 same point\$3	Han-	0000/07/17 15 5
-	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:04
	4	weight\$4 same point\$3 same control\$4	HODAM	2002/07/17 15:04
-	$\frac{1}{2}$	("5818452").PN. (("5818452").PN.) and bernstein with	USPAT	2002/07/17 15:04
-	0		USPAT	2002/07/17 15:05
_	1	polynomial (("5818452").PN.) and bernstein with	USPAT	2002/07/17 15:14
_	1	polynomial	USPAI	2002/07/17 15:14
_	0	(("5818452").PN.) and parameter\$4 with	USPAT	2002/07/17 15:15
		transform\$5	351711	2002/07/17 13.13
_	0	(("5818452").PN.) and geometric\$4 with	USPAT	2002/07/17 15:15
		transform\$5		12,11,2, 20,10
-	0	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:15
		geometric\$4 with transform\$5		
-	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:21
		parameter\$4 with transform\$5		
_	1	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:23
		mesh\$4		
-	0	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:23
		translat\$4		0000/07/1-
_	0	((("5892691") or ("6271847")).PN.) and	USPAT	2002/07/17 15:44
L	<u></u>	(translat\$4 or rotat\$4)	l	<u> </u>

-	9	(("6064393") or ("5995110") or ("6271847")	USPAT	2003/02/03 10:50
		or ("6236403") or ("6072496") or		
		("5796400") or ("5175808") or ("5818452")		
		or ("5892691")).PN.		0000/00/00 10 10
-	6	((("6064393") or ("5995110") or	USPAT	2003/02/03 12:48
		("6271847") or ("6236403") or ("6072496")		
1		or ("5796400") or ("5175808") or ("5818452") or ("5892691")) PN.) and		·
		(3616432) Of (3692691)).FN.) and weight\$4 and scal\$4		
1_	2		USPAT	2003/02/03 10:51
1		("6271847") or ("6236403") or ("6072496")	OSTAT	2003/02/03 10.31
		or ("5796400") or ("5175808") or		
		("5818452") or ("5892691")).PN.) and		
		weight\$4 same scal\$4		
_	7		USPAT	2003/02/03 10:52
		("6271847") or ("6236403") or ("6072496")		
		or ("5796400") or ("5175808") or		
		("5818452") or ("5892691")).PN.) and		
		scal\$4		
-	9	((,	USPAT	2003/02/03 10:55
		("6271847") or ("6236403") or ("6072496")	:	
		or ("5796400") or ("5175808") or		
	·	("5818452") or ("5892691")).PN.) and		
		(add\$4 or sum\$4)		/ /
-	8	((("6064393") or ("5995110") or	USPAT	2003/02/03 10:55
	•	("6271847") or ("6236403") or ("6072496")		
		or ("5796400") or ("5175808") or		
		("5818452") or ("5892691")).PN.) and transform\$4		
_	3	((("6064393") or ("5995110") or	USPAT	2003/02/03 11:06
_	3	(((6064393) 61 (3993110) 61 ("6271847") or ("6236403") or ("6072496")	USPAI	2003/02/03 11:06
		or ("5796400") or ("5175808") or		
		("5818452") or ("5892691")).PN.) and		
		(source or target or destinat\$4)		
_	1394		USPAT	2003/02/03 13:17
_	110		USPAT	2003/02/03 11:09
		and scal\$4 with (transformat\$4)		
_	3	((345/\$.ccls. and (warp\$4 or deformat\$4))	USPAT	2003/02/03 11:08
		and scal\$4 with (transformat\$4)) and		
		weight\$4 same scal\$4 with (transformat\$4)		
-	66		USPAT	2003/02/03 11:09
	:	and scal\$4 with (transformat\$4)) and		
		weight\$4		, _ , _ ,
-	195		USPAT	2003/02/03 11:10
	1.4	transform\$4) near3 parameter	******	0000/00/00 11 16
_	14	(((345/\$.ccls. and (warp\$4 or deformat\$4)) and scal\$4 with (transformat\$4)) and	USPAT	2003/02/03 11:16
		weight\$4) and (345/\$.ccls. and (warp\$4 or		
		deformat\$4 or transform\$4) near3		
		parameter)		
_	73		USPAT	2003/02/03 13:16
		and (scal\$4 near2 (transform or		
		transformation))		
-	0	(345/\$.ccls. and (warp\$4 or deformat\$4))	USPAT	2003/02/03 13:18
		and (scal\$4 near2 (transform or		
		transformation)) same weight\$4		
-	7	((345/\$.ccls. and (warp\$4 or deformat\$4))	USPAT	2003/02/03 12:45
		and (scal\$4 near2 (transform or		
		transformation))) and weight\$4 with (add\$4		
		or sum\$4)		
_	7	((("6064393") or ("5995110") or	USPAT	2003/02/03 12:55
		("6271847") or ("6236403") or ("6072496")		
		or ("5796400") or ("5175808") or		
		("5818452") or ("5892691")).PN.) and map\$4	HODAM	2002/00/22 12 ==
_	1	("5892691").PN.	USPAT	2003/02/03 12:55
-	1	(("5892691").PN.) and (add\$3 or adding or	USPAT	2003/02/03 13:00
I _	0	sum\$4) (("5892691").PN.) and parameter\$4	USPAT	2003/02/03 12-00
_	0	(("5892691").PN.) and scal\$44	USPAT	2003/02/03 13:00 2003/02/03 13:00
1_		(("5892691").PN.) and scal\$4	USPAT	2003/02/03 13:00
		11 0052051 / 12111 0114 004171	722111	-203/02/03 I3:00

_	44	((345/\$.ccls. and (warp\$4 or deformat\$4))	LICDAM	2003/02/03 13:14
-	44		USPAT	2003/02/03 13:14
	-	and (scal\$4 near2 (transform or		
]		transformation))) and weight\$4		
_	41	' '	USPAT	2003/02/03 13:16
		and (scal\$4 near (transform or		
1		transformation))		
-	55	, ,	USPAT	2003/02/03 13:17
		and (scal\$4 near (transform or		
		transformation or magnitude))		
-	29	((345/\$.ccls. and (warp\$4 or deformat\$4))	USPAT	2003/02/03 13:17
		and (scal\$4 near (transform or		
		transformation or magnitude))) and		
		weight\$4		i
_	24	345/\$.ccls. and (warp\$4 or deformat\$4).ti.	USPAT	2003/02/03 13:17
_	96		USPAT	2003/02/03 13:18
_	101		USPAT	2003/02/03 13:18
		deformat\$4).ti.) or (345/\$.ccls. and		
		(warp\$4 or deformat\$4).ab.)		
_	4		USPAT	2003/02/03 13:20
	_	deformat\$4).ti.) or (345/\$.ccls. and		2000, 02, 00 13:20
		(warp\$4 or deformat\$4).ab.)) and (scal\$4		
		near2 (transform or transformation)) and		
		weight\$4		
_	17		USPAT	2003/02/03 13:34
		deformat\$4).ti.) or (345/\$.ccls. and	001111	2003/02/03 13.54
		(warp\$4 or deformat\$4).ab.)) and (scal\$4		
		with (transform or transformation))		
_	0		USPAT	2003/02/03 13:34
		deformat\$4).ti.) or (345/\$.ccls. and	OSFAI	2003/02/03 13:34
•		(warp\$4 or deformat\$4).ab.)) and source		
		adj feature		
l _	1749		USPAT	2003/02/03 14:13
	1,49	undeform\$4)	USPAI	2003/02/03 14:13
_	47	(345/\$.ccls. and (warp\$4 or deform\$4 or	USPAT	2003/02/03 14:23
	",	undeform\$4)) and paramete\$4 near	OSEMI	2003/02/03 14:23
		(transformation or deformation or warp\$4)		
1_	2	(("5175808") or ("5892691")).PN.	USPAT	2003/02/03 14:26
_	3		USPAT	2003/02/03 14:28
_	. 2	5892691.URPN.	USPAT	2003/02/03 14:23
_	6	3892091.0RFN. ("4468688" "4672464" "4805117"	USPAT	2003/02/03 14:23
	"	"4885786" "4908874" "4985849").PN.	OSFAI	2003/02/03 14:24
i _	68	5175808.URPN.	USPAT	2003/02/03 14:24
1_	2	((("5175808") or ("5892691")).PN.) and	USPAT	
_			USPAT	2003/02/03 14:27
		(scal\$4 or weight\$4)		